

FRANK BROCCOLINA
STATE COURT ADMINISTRATOR
(410) 260-1295 Fax: (410) 974-2066
frank.broccolina@mdcourts.gov

FAYE D. GASKIN
DEPUTY STATE COURT
ADMINISTRATOR
(410) 260-1257 Fax: (410) 974-2066
faye.gaskin@mdcourts.gov

GRAY BARTON
Executive Director
Drug Treatment Court Program
2011-D Commerce Park Drive
Annapolis, Maryland 21401
(410) 260-3617 Fax: (410) 841-9850
gray.barton@mdcourts.gov

PHILIP S. BRAXTON
Executive Director
Judicial Information Systems
2661 Riva Road, Suite 900
Annapolis, Maryland 21401
(410) 260-1000 Fax: (410) 974-7170
philip.braxton@mdcourts.gov

ALLEN C. CLARK, III
Executive Director
Budget & Finance
(410) 260-1579 Fax: (410) 260-1290
allen.clark@mdcourts.gov

DANIEL A. COLEMAN
Executive Director
Procurement & Contract
Administration
(410) 260-1263 Fax: (410) 260-1749
daniel.coleman@mdcourts.gov

DAVID R. DURFEE JR.
Executive Director
Legal Affairs
(410) 260-1405 Fax: (410) 974-2066
david.durfee@mdcourts.gov

SHARON SAMPSON BALL
Executive Director
Human Resources
(410) 260-1255 Fax: (410) 974-2849
sharon.ball@mdcourts.gov

PAMELA CARDULLO ORTIZ
Executive Director
Family Administration
(410) 260-1580 Fax: (410) 974-5577
pamela.ortiz@mdcourts.gov

DIANE S. PAWLOWICZ
Executive Director
Court Research & Development
(410) 260-1725 Fax: (410) 974-2066
diane.pawlowicz@mdcourts.gov

ROXANNE P. McKAGAN Manager Administrative Services (410) 260-1407 Fax: (410) 974-2066 rocky.mckagan@mdcourts.gov

DEBORAH A. UNITUS Manager Program Services (410) 260-1291 Fax: (410) 974-5577 deborah.unitus@mdcourts.gov

ADMINISTRATIVE OFFICE OF THE COURTS MARYLAND JUDICIAL CENTER 580 TAYLOR AVENUE ANNAPOLIS, MARYLAND 21401

December 19, 2006

Re: RFP No. K07-7060-25, Interpreting Equipment; Amendment No. 1

Dear Interested Party:

The following, Amendment No. 1, consists of questions and answers from prospective bidders.

- Q. Page 7 describes a "system" as consisting of "2 only receivers" whereas Page 10 describes a "system" as consisting of "6 receivers" please clarify. A. A system should contain **six** (**6**) only receivers.
- Q. In addition, on page 7 a carrying case is required to have "slots" for the equipment. There are two possibilities that may satisfy this requirement, one is a pre-formed foam layer that holds a pre-determined number of units. The other is a foam "pick and puck" layer wherein pieces of foam are plucked out to configure slots in whatever manner the user would like. My question is, would the latter be acceptable.

A. It appears that both types described would be acceptable.

These are the only changes contemplated by Amendment No. 1. All other terms and conditions shall remain the same.

Thank you for your interest in doing business with the Maryland Judiciary. I may be reached at 410-260-1410 if you need additional information.

Sincerely,

Raymond Mack Procurement Officer Office of Procurement and Contract Administration

